UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/808,188	03/24/2004	Richard Deslauriers	22469-005001	4577
26171 FISH & RICHA	7590 07/01/200 ARDSON P.C.	EXAMINER		
P.O. BOX 1022		WELTER, RACHAEL E		
MINNEAPOLIS, MN 55440-1022			ART UNIT	PAPER NUMBER
			1611	
			NOTIFICATION DATE	DELIVERY MODE
			07/01/2009	ELECTRONIC

## Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

PATDOCTC@fr.com



## **UNITED STATES DEPARTMENT OF COMMERCE U.S. Patent and Trademark Office**

DATE MAILED:

Address: COMMISSIONER FOR PATENTS

P.O. Box 1450

Alexandria, Virginia 22313-1450

APPLICATION NO./ CONTROL NO.	FILING DATE	FIRST NAMED INVENTOR / PATENT IN REEXAMINATION	,	ATTORNEY DOCKET NO.
10808188	3/24/2004	DESLAURIERS ET AL.		22469-005001
FISH & RICHARDSON P.C. P.O. BOX 1022			EXAMINER	
			RACHAEL E. WELTER	
MINNEAPOLIS, MN 55440-1022			ART UNIT	PAPER
			1611	20090430

Please find below and/or attached an Office communication concerning this application or proceeding.

## **Commissioner for Patents**

The amendment filed on 4/2/09 canceling all claims drawn to the elected invention and presenting only claims drawn to a non-elected invention is non-responsive (MPEP § 821.03). The examiner notes that in a response on 1/27/09, applicant elected Group VI, drawn to a composition comprising a polyester urethane and filler material. The remaining claims are not readable on the elected invention because they are drawn to a method comprising administering an uncured castor-oil based polyurethane bone scaffold composition in or near a bone defect, which is distinct from the originally elected invention. The examiner contends that the composition of the presently elected claims can also be used to reinforce surfaces or sheets for tub-shower enclosures or spas. See MPEP § 806.05(h). The examiner notes that currently the record is not clear on what invention applicant is electing.

Since the above-mentioned amendment appears to be a *bona fide* attempt to reply, applicant is given a TIME PERIOD of ONE (1) MONTH or THIRTY (30) DAYS, whichever is longer, from the mailing date of this notice within which to supply the omission or correction in order to avoid abandonment. EXTENSIONS OF THIS TIME PERIOD UNDER 37 CFR 1.136(a) ARE AVAILABLE.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to RACHAEL E. WELTER whose telephone number is (571) 270-5237. The examiner can normally be reached 7:30-5:00 Monday-Friday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Sharmila Landau can be reached at 571-272-0614. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Sharmila Gollamudi Landau/ Supervisory Patent Examiner, Art Unit 1611 /REW/